

# Avery Dennison®

## Ink Recommendation Guide

Instructional Bulletin : # 8.55  
Revision : # 1.2  
Last Updated : August 2019

### Compatibility & Durability

Avery Dennison recommends the use of the following series of inks to assure user satisfaction and conformance with warranty requirements. Because the choice of ink series can determine the durability, transparency and sign reflectivity level, it is important that the correct series of ink be matched with the reflective sheeting used. Differing environmental conditions found in specific regions of the country may result in the ability of Avery Dennison to increase the period of ink durability and warranty for select ink colors and series. Any exceptions to the information contained below must be confirmed in writing by Avery Dennison to become binding. Please contact Avery Dennison for further information.

### Application & Conversion

Complete information to the user for proper application, storage, and other requirements is available from your Avery Dennison representative, from the Avery Dennison website [www.reflectives.averydennison.com](http://www.reflectives.averydennison.com), or on request. Please reference the Instructional Bulletin number for each series of ink shown in the charts.

### Recommendation by Sheeting Series

Sheeting	Ink Series
T1500A EG	4930
T2500 PEG Series	4930 UVTS NazDar
T5500 HI Beaded	4930
T6500 HIP Series	4930 UVTS NazDar
T7500 MVP Series	4930 UVTS NazDar
T9000 Series OmniView™	4930 UVTS NazDar
OmniCube™ T11000 Series	4930 UVTS NazDar
Omniview™ WU-7000 Series	VF111 UVTS NazDar

## Recommendation by Ink Series

Ink	Sheeting Series
4930 <ul style="list-style-type: none"> <li>• Durability to match the base sheeting series</li> <li>• 157–180 threads/sq inch (62–71 threads/sq cm) mesh screen</li> <li>• Refer to IB# 8.40</li> </ul>	<ul style="list-style-type: none"> <li>• T1500A EG</li> <li>• T2500 PEG</li> <li>• T5500</li> <li>• T6500 HIP</li> <li>• T7500 MVP</li> <li>• T9500 OmniView</li> <li>• OmniCube™ T11000</li> </ul>
VF111	<ul style="list-style-type: none"> <li>• Omniview™ WU-7000 Series</li> </ul>
UVTS NazDar <ul style="list-style-type: none"> <li>• 10-year durability with UV Clear or OL1000 Overlay Film</li> <li>• 305 threads/sq inch (120 threads/sq cm) mesh screen</li> <li>• Refer to IB# 8.38</li> </ul>	<ul style="list-style-type: none"> <li>• T6500</li> <li>• T7500 MVP</li> <li>• T9500 OmniView</li> <li>• OmniCube™ T11000</li> </ul>

The above Avery Dennison literature provides information to the user for proper application, storage, and other requirements. Please refer to Product Data Bulletins or your local Avery Dennison Representative for warranty information. Find the latest information on the Avery Dennison website, [www.reflectives.averydennison.com](http://www.reflectives.averydennison.com). We encourage you to check our website periodically for updates.

All statements, technical information and recommendations about Avery Dennison products are based upon tests and information believed to be reliable but do not constitute a guarantee or warranty of any kind. All Avery Dennison products are sold with the understanding that Purchaser has independently determined the suitability of such products for its intended and other purposes.