

**\* 1 Identification of the substance/mixture and of the company/undertaking****Product identifier****Trade name:** TJ Pro Yellow**Article number:** 999501**Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Printing inks**Details of the supplier of the safety data sheet**Avery Dennison  
Willem Einthovenstraat 11  
2342 BH Oegstgeest - The Netherlands  
T +31 85 000 20 77  
central.sales@eu.averydennison.com**Manufacturer/Supplier:**Avery Dennison  
250 Chester Street  
Painesville, OH 44077  
USA**Further information obtainable from:** [reflective.product.compliance@averydennison.com](mailto:reflective.product.compliance@averydennison.com)**Emergency telephone number:**CHEMTREC International +1 (703) 527-3887 24 hr  
CHEMTREC UK: +(44)-870-8200418**\* 2 Hazards identification****Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Acute Tox. 4	H302	Harmful if swallowed.
Eye Irrit. 2	H319	Causes serious eye irritation.
Skin Sens. 1	H317	May cause an allergic skin reaction.
Repr. 2	H361f	Suspected of damaging fertility (causing atrophy of the testes).
Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.

**Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS07 GHS08

**Signal word** Warning**Hazard-determining components of labelling:**2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester  
Photoinitiator  
hexamethylene diacrylate  
propylidynetrimethanol, ethoxylated, esters with acrylic acid  
Neopentylglycol(PO)<sub>2</sub> Diacrylate

**Safety data sheet**

according to 1907/2006/EC, Article 31

Printing date 17.06.2020

Version number 1.0

Revision: 17.06.2020

**Trade name: TJ Pro Yellow**

(Contd. of page 1)

**Hazard statements**

- H302 Harmful if swallowed.  
 H319 Causes serious eye irritation.  
 H317 May cause an allergic skin reaction.  
 H361f Suspected of damaging fertility (causing atrophy of the testes).  
 H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P103 Read label before use.  
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards** No additional information available.**3 Composition/information on ingredients****Chemical characterisation: Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 86273-46-3	2-Propenoic acid, 2-[2-(ethenylloxy)ethoxy]ethyl ester	≥ 50 - ≤ 100%
	Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 75980-60-8	Photoinitiator	10 - 25%
EINECS: 278-355-8	Repr. 2, H361f	
CAS: 13048-33-4	hexamethylene diacrylate	≥ 2.5 - < 10%
EINECS: 235-921-9	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 28961-43-5	propylidynetrimethanol, ethoxylated, esters with acrylic acid	≥ 2.5 - < 10%
	Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 84170-74-1	Neopentylglycol(PO) <sub>2</sub> Diacrylate	≥ 0.25 - < 1%
	Aquatic Chronic 2, H411; Skin Sens. 1, H317	

**Additional information:** For the wording of the listed hazard phrases refer to section 16.**4 First aid measures****Description of first aid measures****After inhalation:**

Supply fresh air and to be sure call for a doctor.  
 In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.**After eye contact:** Rinse opened eye for several minutes under running water.**After swallowing:** If symptoms persist consult doctor.**Most important symptoms and effects, both acute and delayed** No further relevant information available.**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

— GB —

(Contd. on page 3)

**Safety data sheet**

according to 1907/2006/EC, Article 31

Printing date 17.06.2020

Version number 1.0

Revision: 17.06.2020

Trade name: TJ Pro Yellow

(Contd. of page 2)

**5 Firefighting measures****Extinguishing media****Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.**Special hazards arising from the substance or mixture** No further relevant information available.**Advice for firefighters****Protective equipment:** No special measures required.**6 Accidental release measures****Personal precautions, protective equipment and emergency procedures** Not required.**Environmental precautions:** Do not allow to enter sewers/ surface or ground water.**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**7 Handling and storage****Handling:****Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about fire - and explosion protection:** No special measures required.**Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** None.**Specific end use(s)** No further relevant information available.**8 Exposure controls/personal protection****Additional information about design of technical facilities:** No further data; see item 7.**Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** The lists valid during the making were used as basis.**Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

(Contd. on page 4)

**Safety data sheet**

according to 1907/2006/EC, Article 31

Printing date 17.06.2020

Version number 1.0

Revision: 17.06.2020

**Trade name: TJ Pro Yellow**

(Contd. of page 3)

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Goggles recommended during refilling

## 9 Physical and chemical properties

**Information on basic physical and chemical properties****General Information****Appearance:**

<b>Form:</b>	Liquid
<b>Colour:</b>	Yellow
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.

**pH-value:** Not determined.

**Change in condition**

<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	Undetermined.

**Flash point:** Not applicable.

**Flammability (solid, gas):** Not applicable.

**Decomposition temperature:** Not determined.

**Auto-ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

**Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

**Vapour pressure:** Not determined.

<b>Density:</b>	Not determined.
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

(Contd. on page 5)

**Safety data sheet**

according to 1907/2006/EC, Article 31

Printing date 17.06.2020

Version number 1.0

Revision: 17.06.2020

**Trade name: TJ Pro Yellow**

(Contd. of page 4)

**Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

**Partition coefficient: n-octanol/water:** Not determined.**Viscosity:****Dynamic:** Not determined.**Kinematic:** Not determined.**VOC (EC)** < 0.00 %**Other information** No further relevant information available.**10 Stability and reactivity****Reactivity** No further relevant information available.**Chemical stability****Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**Possibility of hazardous reactions** No dangerous reactions known.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** No dangerous decomposition products known.**11 Toxicological information****Information on toxicological effects****Acute toxicity**

Harmful if swallowed.

**LD/LC50 values relevant for classification:****13048-33-4 hexamethylene diacrylate**

Oral LD50 &gt; 5,000 mg/kg (rat)

Dermal LD50 &gt; 3,000 mg/kg (rab)

**Primary irritant effect:****Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/irritation**

Causes serious eye irritation.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)****Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity**

Suspected of damaging fertility (causing atrophy of the testes).

**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**12 Ecological information****Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.

(Contd. on page 6)

**Safety data sheet**

according to 1907/2006/EC, Article 31

Printing date 17.06.2020

Version number 1.0

Revision: 17.06.2020

**Trade name: TJ Pro Yellow**

(Contd. of page 5)

**Behaviour in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods****Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.**14 Transport information****UN-Number**

ADR, ADN, IMDG, IATA not regulated

**UN proper shipping name**

ADR, ADN, IMDG, IATA not regulated

**Transport hazard class(es)**ADR, ADN, IMDG, IATA  
Class not regulated**Packing group**

ADR, IMDG, IATA not regulated

**Environmental hazards:**

Not applicable.

**Special precautions for user**

Not applicable.

**Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

**UN "Model Regulation":**

not regulated

**15 Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****Directive 2012/18/EU****Named dangerous substances - ANNEX I** None of the ingredients is listed.**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

— GB —

(Contd. on page 7)

**Safety data sheet**

according to 1907/2006/EC, Article 31

Printing date 17.06.2020

Version number 1.0

Revision: 17.06.2020

**Trade name: TJ Pro Yellow**

(Contd. of page 6)

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361f Suspected of damaging fertility (causing atrophy of the testes).

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Repr. 2: Reproductive toxicity – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* **Data compared to the previous version altered.**