

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/15/2020

Version: 1.0

Reviewed on 06/15/2020

1 Identification

Product identifier

Product name: TJ Pro Black

Article number: 999502

Details of the supplier of the safety data sheet

Avery Dennison Digitial Ink Solutions 250 Chester Street, Building 7 Painesville, OH 44077 - USA 1-877-214-0909

Information department: reflective.product.compliance@averydennison.com **Emergency telephone number:** CHEMTREC 1-800-424-9300

2 Hazard(s) identification

Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Hazard pictograms**



Signal word Warning

Hazard-determining components of labeling: 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester Photoinitiator propylidynetrimethanol, ethoxylated, esters with acrylic acid Hazard statements Harmful if swallowed. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. **Precautionary statements** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/15/2020

Version: 1.0

Reviewed on 06/15/2020

Product name: TJ Pro Black

Wash contaminated clothing before reuse. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

Chemical characterization: Mixtures

D (

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:	
86273-46-3 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester	≥ 50 - ≤ 100%
Acute Tox. 4, H302; Skin Sens. 1, H317	
75980-60-8 Photoinitiator	10 - 25%
Repr. 2, H361	
2399-48-6 Tetrahydrofurfuryl Acrylate	2.5 - 10%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
1333-86-4 Carbon black	≥ 2.5 - ≤ 10%
Self-heat. 2, H252; Carc. 2, H351	
28961-43-5 propylidynetrimethanol, ethoxylated, esters with acrylic acid	≥ 2.5 - ≤ 10%
Eye Irrit. 2A, H319; Skin Sens. 1, H317	

4 First-aid measures

Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: If symptoms persist consult doctor.

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture No further relevant information available. Advice for firefighters

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/15/2020

Version: 1.0

Reviewed on 06/15/2020

Product name: TJ Pro Black

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

1333-86-4 Carbon black

- PEL Long-term value: 3.5 mg/m³
- REL Long-term value: 3.5* mg/m³

*0.1 in presence of PAHs;See Pocket Guide Apps.A+C

TLV Long-term value: 3* mg/m³ *inhalable fraction

*innalable fraction

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

US —

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/15/2020

Version: 1.0

Reviewed on 06/15/2020

Product name: TJ Pro Black

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

Information on basic physical and ch General Information	nemical properties
Appearance: Form: Color: Odor: Odor threshold:	Liquid Black Characteristic Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapor pressure:	Not determined.
Density: Relative density Vapor density Evaporation rate	Not determined. Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity: Dynamic: Kinematic: Other information	Not determined. Not determined. No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/15/2020

Version: 1.0

Reviewed on 06/15/2020

Product name: TJ Pro Black

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

• • • • • •

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological information

..

- -

LD/LC50 values that are relev 1333-86-4 Carbon black	
Oral LD50 10,000 mg/kg (rat)	
Primary irritant effect:	
on the skin: No irritant effect.	
on the eye: No irritating effect	
Sensitization: No sensitizing ef	
Additional toxicological informa	
The product shows the following	dangers according to internally approved calculation methods for preparations:
Carcinogenic categories	
IARC (International Agency	for Research on Cancer)
	· · · · · · · · · · · · · · · · · · ·
1333-86-4 Carbon black: 2B	
· · · · ·	
1333-86-4 Carbon black: 2B	2B
1333-86-4 Carbon black: 2B 100-41-4 ethylbenzene: 2B	
1333-86-4 Carbon black: 2B 100-41-4 ethylbenzene: 2B 127-19-5 N,N-dimethylacetamide:	

12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Behavior in environmental systems: Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

-US —

Printing date 06/15/2020

Version: 1.0

Reviewed on 06/15/2020

Product name: TJ Pro Black

13 Disposal considerations

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of contents/container in accordance with local/regional/national/international regulations.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number	
DOT, IMDG, IATA	not regulated
UN proper shipping name	
DOT, IMDG, IATA	not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA	
Class	not regulated
Packing group	
DOT, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II	of
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	not regulated

5 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

86273-46-3 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester: ACTIVE

75980-60-8 Photoinitiator: ACTIVE

1333-86-4 Carbon black: ACTIVE

28961-43-5 propylidynetrimethanol, ethoxylated, esters with acrylic acid: ACTIVE

Hazardous Air Pollutants

100-41-4 ethylbenzene

Proposition 65

Chemicals known to cause cancer:

1333-86-4 Carbon black

100-41-4 ethylbenzene

127-19-5 N,N-dimethylacetamide

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/15/2020

Version: 1.0

Reviewed on 06/15/2020

Product name: TJ Pro Black

	Chemicals known to cause reproductive toxicity for females:
	of the ingredients is listed.
	Chemicals known to cause reproductive toxicity for males:
	9-5 N,N-dimethylacetamide
	Chemicals known to cause developmental toxicity:
27-	9-5 N,N-dimethylacetamide
	arcinogenic categories EPA (Environmental Protection Agency)
	1-4 ethylbenzene: D
	TLV (Threshold Limit Value established by ACGIH)
	86-4 Carbon black: A4
	41-4 ethylbenzene: A3
	19-5 N,N-dimethylacetamide: A4
	NIOSH-Ca (National Institute for Occupational Safety and Health)
	86-4 Carbon black
	S label elements The product is classified and labeled according to the Globally Harmonized System (GHS). azard pictograms
-	
(GHS07 GHS08
S	gnal word Warning
Н	azard-determining components of labeling:
	Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester
	notoinitiator
	opylidynetrimethanol, ethoxylated, esters with acrylic acid
	azard statements armful if swallowed.
	ay cause an allergic skin reaction.
	ispected of damaging fertility or the unborn child.
Р	recautionary statements
	btain special instructions before use.
	o not handle until all safety precautions have been read and understood.
	void breathing dust/fume/gas/mist/vapors/spray
	ash thoroughly after handling. o not eat, drink or smoke when using this product.
	ontaminated work clothing must not be allowed out of the workplace.
	ear protective gloves/protective clothing/eye protection/face protection.
If	swallowed: Call a poison center/doctor if you feel unwell.
	inse mouth.
	on skin: Wash with plenty of water.
	exposed or concerned: Get medical advice/attention. becific treatment (see on this label).
	skin irritation or rash occurs: Get medical advice/attention.
	Yash contaminated clothing before reuse.
	ore locked up.
	ispose of contents/container in accordance with local/regional/national/international regulations.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/15/2020

Version: 1.0

Reviewed on 06/15/2020

Product name: TJ Pro Black

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H252 Self-heating in large quantities; may catch fire.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Self-heat. 2: Self-heating substances and mixtures - Category 2 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2 Repr. 2: Reproductive toxicity - Category 2