

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/12/2020 Version: 1.0 Reviewed on 06/12/2020

* 1 Identification

Product identifier

Product name: TJ Pro Magenta

Article number: 999509

Application of the substance / the mixture: Printing inks

Details of the supplier of the safety data sheet

Avery Dennison Digitial Ink Solutions 250 Chester Street, Building 7 Painesville, OH 44077 - USA 1-877-214-0909

Information department: reflective.product.compliance@averydennison.com

Emergency telephone number: CHEMTREC 1-800-424-9300

2 Hazard(s) identification

Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Hazard pictograms**





GHS07

GHS08

Signal word Warning

Hazard-determining components of labeling:

2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester

Photoinitiator

Neopentylglycol(PO)2 Diacrylate

propylidynetrimethanol, ethoxylated, esters with acrylic acid

Hazard statements

Harmful if swallowed.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

IF exposed or concerned: Get medical advice/attention.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/12/2020 Version: 1.0 Reviewed on 06/12/2020

Product name: TJ Pro Magenta

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

86273-46-3 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester	≥ 50 - ≤ 100%
Acute Tox. 4, H302; Skin Sens. 1, H317	
75980-60-8 Photoinitiator	10 - 25%
Repr. 2, H361	
84170-74-1 Neopentylglycol(PO)2 Diacrylate	≥ 2.5 - ≤ 10%
Skin Sens. 1, H317	
2399-48-6 Tetrahydrofurfuryl Acrylate	2.5 - 10%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
28961-43-5 propylidynetrimethanol, ethoxylated, esters with acrylic acid	≥ 2.5 - ≤ 10%
Eye Irrit. 2A, H319; Skin Sens. 1, H317	

4 First-aid measures

Description of first aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required. Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/12/2020 Version: 1.0 Reviewed on 06/12/2020

Product name: TJ Pro Magenta

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/12/2020 Version: 1.0 Reviewed on 06/12/2020

Product name: TJ Pro Magenta

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eve protection: Goggles recommended during refilling.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Fluid
Color: Magenta
Odor: Characteristic
Odor threshold: Not determined.

pH-value: Not determined.

Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.
Undetermined.

Not applicable.

Flammability (solid, gaseous):
Decomposition temperature:
Not determined.

Not determined.

Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined.
Upper: Not determined.

Vapor pressure: Not determined.

Density: Not determined.
Relative density Not determined.
Vapor density Not determined.
Not determined.
Not determined.
Not determined.
Not determined.

Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Not determined.
Kinematic: Not determined.

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/12/2020 Version: 1.0 Reviewed on 06/12/2020

Product name: TJ Pro Magenta

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: No irritant effect. on the eye: No irritating effect.

Sensitization: Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

100-41-4 ethylbenzene: 2B

127-19-5 N,N-dimethylacetamide: 2B

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Harmful to fish

Additional ecological information:

General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/12/2020 Version: 1.0 Reviewed on 06/12/2020

Product name: TJ Pro Magenta

13 Disposal considerations

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, ADN, IMDG, IATA not regulated

UN proper shipping name

DOT, ADN, IMDG, IATA not regulated

Transport hazard class(es)

DOT, ADN, IMDG, IATA

Class not regulated

Packing group

DOT, IMDG, IATAnot regulatedEnvironmental hazards:Not applicable.Special precautions for userNot applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable. UN "Model Regulation": not regulated

*15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

86273-46-3 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester: ACTIVE

75980-60-8 Photoinitiator: ACTIVE

84170-74-1 Neopentylglycol(PO)2 Diacrylate: ACTIVE

28961-43-5 propylidynetrimethanol, ethoxylated, esters with acrylic acid: ACTIVE

Hazardous Air Pollutants

100-41-4 ethylbenzene

Proposition 65

Chemicals known to cause cancer:

100-41-4 ethylbenzene

127-19-5 N,N-dimethylacetamide

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/12/2020 Version: 1.0 Reviewed on 06/12/2020

Product name: TJ Pro Magenta

Chemicals known to cause reproductive toxicity for males:

127-19-5 N.N-dimethylacetamide

Chemicals known to cause developmental toxicity:

127-19-5 N,N-dimethylacetamide

Carcinogenic categories

EPA (Environmental Protection Agency)

100-41-4 ethylbenzene: D

TLV (Threshold Limit Value established by ACGIH)

100-41-4 ethylbenzene: A3

127-19-5 N,N-dimethylacetamide: A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS07

GHS08

Signal word Warning

Hazard-determining components of labeling:

2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester

Photoinitiator

Neopentylglycol(PO)2 Diacrylate

propylidynetrimethanol, ethoxylated, esters with acrylic acid

Hazard statements

Harmful if swallowed.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Printing date 06/12/2020 Version: 1.0 Reviewed on 06/12/2020

Product name: TJ Pro Magenta

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

Repr. 2: Reproductive toxicity – Category 2

US -

^{*} Data compared to the previous version altered.